



138, Elizabeth  
Lachute (Québec) Canada  
J8H 2H2

Tél. : 450-562-9449 – Fax : 450-562-9830  
Courriel / E-mail : ultratorq@bellnet.ca  
Web : www.ultratorq.com

## Pipe Size Chart

Pipe Size (inches)	Outside Diameter (inches)	Identification			Wall Thickness - t - (inches)	Inside Diameter - d - (inches)
		Steel		Stainless Steel Schedule No.		
		Iron Pipe Size	Schedule No.			
1/8"	0.405	.	.	10S	0.049	0.307
		STD	40	40S	0.068	0.269
		XS	80	80S	0.095	0.215
1/4"	0.54	.	.	10S	0.065	0.41
		STD	40	40S	0.088	0.364
		XS	80	80S	0.119	0.302
3/8"	0.675	.	.	10S	0.065	0.545
		STD	40	40S	0.091	0.493
		XS	80	80S	0.126	0.423
1/2"	0.84	.	.	5S	0.065	0.71
		.	.	10S	0.083	0.674
		STD	40	40S	0.109	0.622
		XS	80	80S	0.147	0.546
		.	160	.	0.187	0.466
XXS	.	.	0.294	0.252		
3/4"	1.05	.	.	5S	0.065	0.92
		.	.	10S	0.083	0.884
		STD	40	40S	0.113	0.824
		XS	80	80S	0.154	0.742
		.	160	.	0.219	0.612
XXS	.	.	0.308	0.434		
1"	1.315	.	.	5S	0.065	1.185
		.	.	10S	0.109	1.097
		STD	40	40S	0.133	1.049
		XS	80	80S	0.179	0.957
		.	160	.	0.25	0.815
XXS	.	.	0.358	0.599		
1 1/4"	1.66	.	.	5S	0.065	1.53
		.	.	10S	0.109	1.442
		STD	40	40S	0.14	1.38
		XS	80	80S	0.191	1.278
		.	160	.	0.25	1.16
XXS	.	.	0.382	0.896		



138, Elizabeth  
Lachute (Québec) Canada  
J8H 2H2

Tél. : 450-562-9449 – Fax : 450-562-9830  
Courriel / E-mail : ultratorq@bellnet.ca  
Web : www.ultratorq.com

1 1/2	1.9	.	.	5S	0.065	1.77
		.	.	10S	0.109	1.682
		STD	40	40S	0.145	1.61
		XS	80	80S	0.2	1.5
		.	160	.	0.281	1.338
2	2.375	.	.	5S	0.065	2.245
		.	.	10S	0.109	2.157
		STD	40	40S	0.154	2.067
		XS	80	80S	0.218	1.939
		.	160	.	0.344	1.687
2 1/2	2.875	.	.	5S	0.083	2.709
		.	.	10S	0.12	2.635
		STD	40	40S	0.203	2.469
		XS	80	80S	0.276	2.323
		.	160	.	0.375	2.125
3	3.5	.	.	5S	0.083	3.334
		.	.	10S	0.12	3.26
		STD	40	40S	0.216	3.068
		XS	80	80S	0.3	2.9
		.	160	.	0.438	2.624
3 1/2	4	.	.	5S	0.083	3.834
		.	.	10S	0.12	3.76
		STD	40	40S	0.226	3.548
		XS	80	80S	0.318	3.364
		.	.	.	.	.
4	4.5	.	.	5S	0.083	4.334
		.	.	10S	0.12	4.26
		STD	40	40S	0.237	4.026
		XS	80	80S	0.337	3.826
		.	120	.	0.438	3.624
5	5.563	.	.	5S	0.109	5.345
		.	.	10S	0.134	5.295
		STD	40	40S	0.258	5.047
		XS	80	80S	0.375	4.813
		.	120	.	0.5	4.563
5	5.563	.	160	.	0.625	4.313
		.	.	.	.	.
		XXS	.	.	0.75	4.063



138, Elizabeth  
Lachute (Québec) Canada  
J8H 2H2

Tél. : 450-562-9449 – Fax : 450-562-9830  
Courriel / E-mail : ultratorq@bellnet.ca  
Web : www.ultratorq.com

6	6.625	.	.	5S	0.109	6.407
		.	.	10S	0.134	6.357
		STD	40	40S	0.28	6.065
		XS	80	80S	0.432	5.761
		.	120	.	0.562	5.501
		.	160	.	0.718	5.187
		XXS	.	.	0.864	4.897
8	8.625	.	.	5S	0.109	8.407
		.	.	10S	0.148	8.329
		.	20	.	0.25	8.125
		.	30	.	0.277	8.071
		STD	40	40S	0.322	7.981
		.	60	.	0.406	7.813
		XS	80	80S	0.5	7.625
		.	100	.	0.594	7.437
		.	120	.	0.719	7.187
		.	140	.	0.812	7.001
		XXS	.	.	0.875	6.875
.	160	.	0.906	6.813		
10	10.75	.	.	5S	0.134	10.482
		.	.	10S	0.165	10.42
		.	20	.	0.25	10.25
		.	30	.	0.307	10.136
		STD	40	40S	0.365	10.02
		XS	60	80S	0.5	9.75
		.	80	.	0.594	9.562
		.	100	.	0.719	9.312
		.	120	.	0.844	9.062
		.	140	.	1	8.75
		.	160	.	1.125	8.5
12	12.75	.	.	5S	0.156	12.438
		.	.	10S	0.18	12.39
		.	20	.	0.25	12.25
		.	30	.	0.33	12.09
		STD	.	40S	0.375	12
		.	40	.	0.406	11.938
		XS	.	80S	0.5	11.75
		.	60	.	0.562	11.626
		.	80	.	0.688	11.374
		.	100	.	0.844	11.062
		.	120	.	1	10.75
		.	140	.	1.125	10.5
		.	160	.	1.312	10.126



138, Elizabeth  
Lachute (Québec) Canada  
J8H 2H2

Tél. : 450-562-9449 – Fax : 450-562-9830  
Courriel / E-mail : ultratorq@bellnet.ca  
Web : www.ultratorq.com

14	14	.	.	5S	156	13.688
		.	.	10S	0.188	13.624
		.	10	.	0.25	13.5
		.	20	.	0.312	13.376
		STD	30	.	0.375	13.25
		.	40	.	0.438	13.124
		XS	.	.	0.5	13
		.	60	.	0.594	12.812
		.	80	.	0.75	12.5
		.	100	.	0.938	12.124
		.	120	.	1.094	11.812
		.	140	.	1.25	11.5
.	160	.	1.406	11.188		
16	16	.	.	5S	0.165	15.67
		.	.	10S	0.188	15.624
		.	10	.	0.25	15.5
		.	20	.	0.312	15.376
		STD	30	.	0.375	15.25
		XS	40	.	0.5	15
		.	60	.	0.656	14.688
		.	80	.	0.844	14.312
		.	100	.	1.031	13.938
		.	120	.	1.219	13.562
		.	140	.	1.438	13.124
		.	160	.	1.594	12.812
18	18	.	.	5S	0.165	17.67
		.	.	10S	0.188	17.624
		.	10	.	0.25	17.5
		.	20	.	0.312	17.376
		STD	.	.	0.375	17.25
		.	30	.	0.438	17.124
		XS	.	.	0.5	17
		.	40	.	0.562	16.876
		.	60	.	0.75	16.5
		.	80	.	0.938	16.124
		.	100	.	1.156	15.688
		.	120	.	1.375	15.25
.	140	.	1.562	14.876		
.	160	.	1.781	14.438		



138, Elizabeth  
Lachute (Québec) Canada  
J8H 2H2

Tél. : 450-562-9449 – Fax : 450-562-9830  
Courriel / E-mail : ultratorq@bellnet.ca  
Web : www.ultratorq.com

20	20	.	.	5S	0.188	19.624
		.	.	10S	0.218	19.564
		.	10	.	0.25	19.5
		STD	20	.	0.375	19.25
		XS	30	.	0.5	19
		.	40	.	0.594	18.812
		.	60	.	0.812	18.376
		.	80	.	1.031	17.938
		.	100	.	1.281	17.438
		.	120	.	1.5	17
		.	140	.	1.75	16.5
.	160	.	1.969	16.062		
22	22	.	.	5S	0.188	21.624
		.	.	10S	0.218	21.564
		.	10	.	0.25	21.5
		STD	20	.	0.375	21.25
		XS	30	.	0.5	21
		.	60	.	0.875	20.25
		.	80	.	1.125	19.75
		.	100	.	1.375	19.25
		.	120	.	1.625	18.75
		.	140	.	1.875	18.25
		.	160	.	2.125	17.75
24	24	.	.	5S	0.218	23.564
		.	10	10S	0.25	23.5
		STD	20	.	0.375	23.25
		XS	.	.	0.5	23
		.	30	.	0.562	22.876
		.	40	.	0.688	22.624
		.	60	.	0.969	22.062
		.	80	.	1.219	21.562
		.	100	.	1.531	20.938
		.	120	.	1.812	20.376
		.	140	.	2.062	19.876
.	160	.	2.344	19.312		
26	26	.	10	.	0.312	25.376
		STD	.	.	0.375	25.25
		XS	20	.	0.5	25
28	28	.	10	.	0.312	27.376
		STD	.	.	0.375	27.25
		XS	20	.	0.5	27
.	30	.	0.625	26.75		



138, Elizabeth  
Lachute (Québec) Canada  
J8H 2H2

Tél. : 450-562-9449 – Fax : 450-562-9830  
Courriel / E-mail : ultratorq@bellnet.ca  
Web : www.ultratorq.com

30	30	.	.	5S	0.25	29.5
		.	10	10S	0.312	29.376
		STD	.	.	0.375	29.25
		XS	20	.	0.5	29
		.	30	.	0.625	28.75
32	32	.	10	.	0.312	31.376
		STD	.	.	0.375	31.25
		XS	20	.	0.5	31
		.	30	.	0.625	30.75
		.	40	.	0.688	30.624
34	34	.	10	.	0.344	33.312
		STD	.	.	0.375	33.25
		XS	20	.	0.5	33
		.	30	.	0.625	32.75
		.	40	.	0.688	32.624
36	36	.	10	.	0.312	35.376
		STD	.	.	0.375	35.25
		XS	20	.	0.5	35
		.	30	.	0.625	34.75
		.	40	.	0.75	34.5
42	42	STD	.	.	0.375	41.25
		XS	20	.	0.5	41
		.	30	.	0.625	40.72
		.	40	.	0.75	40.5